www.sigmaaldrich.com

Sigma-Aldrich

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 7.5 Revision Date 13.04.2023 Print Date 11.08.2023 GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## **1.1 Product identifiers**

Product name	:	Carbon disulfide
Product Number Brand	-	335266 Sigma Aldrich
Diallu		Sigma-Aldrich
Index-No.	:	006-003-00-3
REACH No.	:	01-2119543707-33-xxxx
CAS-No.	:	75-15-0

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

## 1.3 Details of the supplier of the safety data sheet

	Company	:	Sigma-Aldrich Chemie GmbH Eschenstrasse 5 D-82024 TAUFKIRCHEN
1.4	Telephone Fax E-mail address <b>Emergency telephone</b>	:	+49 (0)89 6513-1130 +49 (0)89 6513-1161 technischerservice@merckgroup.com
	Emergency Phone #	:	0800 181 7059 (CHEMTREC Deutschland) +49 (0)696 43508409 (CHEMTREC weltweit)

## SECTION 2: Hazards identification

## 2.1 Classification of the substance or mixture

**Classification according to Regulation (EC) No 1272/2008** Flammable liquids (Category 2), H225 Acute toxicity, Inhalation (Category 4), H332 Skin irritation (Category 2), H315 Eye irritation (Category 2), H319 Reproductive toxicity (Category 2), H361fd Specific target organ toxicity - repeated exposure (Category 1), Peripheral nervous system, Central nervous system, Cardio-vascular system, Eyes, H372

Sigma-Aldrich- 335266

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 1 of 14



For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 Label elements

Labelling according Reg Pictogram	ulation (EC) No 1272/2008
Signal Word	Danger
Hazard statement(s) H225 H315 H319 H332 H361fd	Highly flammable liquid and vapor. Causes skin irritation. Causes serious eye irritation. Harmful if inhaled. Suspected of damaging fertility. Suspected of damaging the unborn child.
H372	Causes damage to organs (Peripheral nervous system, Central nervous system, Cardio-vascular system, Eyes) through prolonged or repeated exposure.
Precautionary statement(s)	
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304 + P340 + P312	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
Supplemental Hazard Statements	none
Doducod Loboling ( <- 1	25 ml)

## Reduced Labeling (<= 125 ml)

<b>Reduced Labeling (&lt;= 1</b> 2 Pictogram	
Signal Word	Danger
Hazard statement(s) H372	Causes damage to organs through prolonged or repeated exposure.
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child.
Precautionary statement(s) P202	Do not handle until all safety precautions have been read and understood.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.

Sigma-Aldrich- 335266

Page 2 of 14

The life science business of Merck operates as MilliporeSigma in the US and Canada



Supplemental Hazard none Statements

## 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

## 3.1 Substances

Formula	:	CS <sub>2</sub>
Molecular weight	:	76,14 g/mol
CAS-No.	:	75-15-0
EC-No.	:	200-843-6
Index-No.	:	006-003-00-3

Component		Classification	Concentration
Carbon Disulfide			
CAS-No. EC-No. Index-No.	75-15-0 200-843-6 006-003-00-3	Flam. Liq. 2; Acute Tox. 4; Skin Irrit. 2; Eye Irrit. 2; Repr. 2; STOT RE 1; H225, H332, H315, H319, H361fd, H372 Concentration limits: >= 1 %: Repr. 2, H361fd; >= 1 %: STOT RE 1, H372; 0,2 - < 1 %: STOT RE 2, H373;	

For the full text of the H-Statements mentioned in this Section, see Section 16.

## **SECTION 4: First aid measures**

## 4.1 Description of first-aid measures

## **General advice**

Show this material safety data sheet to the doctor in attendance.

## If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

## In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

## In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

Sigma-Aldrich- 335266

Page 3 of 14

The life science business of Merck operates as MilliporeSigma in the US and Canada



## If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

#### **4.3 Indication of any immediate medical attention and special treatment needed** No data available

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### **Suitable extinguishing media** Water Foam Carbon dioxide (CO2) Dry powder

## Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

## 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Sulfur oxides

Flash back possible over considerable distance., Container explosion may occur under fire conditions., Vapors may form explosive mixture with air., May explode when heated. Combustible.

Pay attention to flashback.

Vapors are heavier than air and may spread along floors.

Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive mixtures with air at ambient temperatures.

## 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

## 5.4 Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

## **SECTION 6: Accidental release measures**

## **6.1 Personal precautions, protective equipment and emergency procedures** Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition.

Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

## 6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

Sigma-Aldrich- 335266

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 4 of 14

## 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

## 6.4 Reference to other sections

For disposal see section 13.

## SECTION 7: Handling and storage

## 7.1 Precautions for safe handling

## Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

## Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

#### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

## Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons.

Refrigerate before opening.

#### Storage class

Storage class (TRGS 510): 3: Flammable liquids

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## SECTION 8: Exposure controls/personal protection

## 8.1 Control parameters

Ingredients with workplace control parameters

## 8.2 Exposure controls

## **Personal protective equipment**

## Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

#### **Skin protection**

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please

Sigma-Aldrich- 335266

Page 5 of 14

The life science business of Merck operates as MilliporeSigma in the US and Canada



contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact Material: Viton® Minimum layer thickness: 0,7 mm Break through time: 480 min Material tested:Vitoject® (KCL 890 / Aldrich Z677698, Size M)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: butyl-rubber Minimum layer thickness: 0,7 mm Break through time: 30 min Material tested:Butoject® (KCL 898)

## **Body Protection**

Flame retardant antistatic protective clothing.

#### **Respiratory protection**

Recommended Filter type: Filter B-(P3)

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

## **Control of environmental exposure**

Do not let product enter drains. Risk of explosion.

#### SECTION 9: Physical and chemical properties 9.1 Information on basic physical and chemical properties

a)	Physical state	clear, liquid
b)	Color	colorless
c)	Odor	odorless
d)	Melting point/freezing point	Melting point/range: -112111 °C
e)	Initial boiling point and boiling range	46 °C
f)	Flammability (solid, gas)	No data available
g)	Upper/lower flammability or explosive limits	Upper explosion limit: 60 %(V) Lower explosion limit: 1 %(V)
h)	Flash point	-30 °C - c.c.
i)	Autoignition	No data available

Sigma-Aldrich- 335266

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 6 of 14



temperature

j)	Decomposition temperature	415 °C Decomposition energy (Mol): 89,7 kJ/mol Method: OECD Test Guideline 113
k)	рН	No data available
I)	Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
m)	Water solubility	2,9 g/l at 20 °C - OECD Test Guideline 105- soluble
n)	Partition coefficient: n-octanol/water	log Pow: 2,7 at 25 °C - OECD Test Guideline 117 - Bioaccumulation is not expected.
o)	Vapor pressure	274 hPa at 25 °C - OECD Test Guideline 104
p)	Density	1,266 g/mL at 25 °C
	Relative density	No data available
q)	Relative vapor density	No data available
r)	Particle characteristics	No data available

- s) Explosive properties No data available
- t) Oxidizing properties none

## 9.2 Other safety information

Surface tension

71,9 mN/m at 1g/l at 19,5 °C - OECD Test Guideline 115

## SECTION 10: Stability and reactivity

#### **10.1 Reactivity**

Vapors may form explosive mixture with air.

#### **10.2** Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

## **10.3** Possibility of hazardous reactions

Risk of explosion with: nitrogen oxides permanganic acid Oxidizing agents halogen-halogen compounds halogen oxides Iron ferric oxide Chlorine hydrazines powdered aluminium

Sigma-Aldrich- 335266

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 7 of 14



chlorine oxides Potassium potassium permanganate Lithium sodium nitrogen dioxide azides Risk of ignition or formation of inflammable gases or vapours with: Fluorine phosphorus sulfur Activated charcoal Powdered metals Reducing agents Exothermic reaction with: Zinc Acids

- **10.4 Conditions to avoid** Warming.
- **10.5 Incompatible materials** rubber, various plastics
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

#### **Acute toxicity**

LD50 Oral - Rat - female - > 2.000 mg/kg (OECD Test Guideline 423) LC50 Inhalation - Rat - male and female - 4 h - 10,35 mg/l - vapor

(OECD Test Guideline 403) Acute toxicity estimate Inhalation - 10,35 mg/l - vapor

(Calculation method) Dermal: No data available

## Skin corrosion/irritation

Skin - Rabbit Result: Severe irritations Remarks: (Regulation (EC) No 1272/2008, Annex VI) (IUCLID)

## Serious eye damage/eye irritation

Eyes - Human Result: Severe irritations Remarks: (Regulation (EC) No 1272/2008, Annex VI) (IUCLID)

Sigma-Aldrich- 335266

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 8 of 14



## Respiratory or skin sensitization

Local lymph node assay (LLNA) - Mouse Result: negative (OECD Test Guideline 429)

#### Germ cell mutagenicity

Test Type: In vitro mammalian cell gene mutation test Test system: mouse lymphoma cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative

Test Type: Micronucleus test Species: Mouse Cell type: Red blood cells (erythrocytes) Application Route: inhalation (vapor) Method: OECD Test Guideline 474 Result: negative

#### Carcinogenicity

No data available

#### **Reproductive toxicity**

Suspected of damaging the unborn child. Suspected of damaging fertility.

#### Specific target organ toxicity - single exposure No data available

#### Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure. - Peripheral nervous system, Central nervous system, Cardio-vascular system Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

#### Aspiration hazard

No data available

#### **11.2 Additional Information**

#### **Endocrine disrupting properties**

#### Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## RTECS: FF6650000

May cause convulsions.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

After uptake of large quantities:

inebriation agitation, spasms

Sigma-Aldrich- 335266

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 9 of 14



Unconsciousness narcosis Cyanosis drop in blood pressure

After long-term exposure to the chemical:

Tiredness muscular symptoms

After a latency period:

Stomach/intestinal disorders psychoses Changes in the blood count Cardiac irregularities

Damage to:

Liver Kidney

This substance should be handled with particular care.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

Toxicity to fish	semi-static test LC50 - Danio rerio (zebra fish) - 3 mg/l - 96 h (OECD Test Guideline 203)
Toxicity to daphnia and other aquatic invertebrates	EC50 - Daphnia magna (Water flea) - 2,1 mg/l - 48 h (OECD Test Guideline 202)
Toxicity to algae	static test EC50 - Chlorella pyrenoidosa - 21 mg/l - 96 h (OECD Test Guideline 201)
Toxicity to bacteria	static test EC50 - Bacteria - 13 mg/l - 24 h Remarks: (ECHA)

## 12.2 Persistence and degradability

Biodegradability	aerobic - Exposure time 28 d Result: > 80 % - Readily biodegradable. (OECD Test Guideline 301D)
	1 47

Chemical Oxygen	1,47 mg/g
Demand (COD)	Remarks: (IUCLID)

**12.3 Bioaccumulative potential** No data available

Sigma-Aldrich- 335266

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 10 of 14



## 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## **12.6 Endocrine disrupting properties**

#### Product: Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## 12.7 Other adverse effects

Additional ecological information	Hazard for drinking water supplies.
	Discharge into the environment must be avoided.
Stability in water	- > 1 yr Remarks: (IUCLID)

## SECTION 13: Disposal considerations

## 13.1 Waste treatment methods

## Product

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14: Transport information				
<b>14.1 UN number</b> ADR/RID: 1131	IMDG: 1131	IATA: 1131		
<b>14.2 UN proper shipping name</b> ADR/RID: CARBON DISULPHIDE IMDG: CARBON DISULPHIDE IATA: Carbon disulphide 				
14.3 Transport hazard class(e ADR/RID: 3 (6.1)	es) IMDG: 3 (6.1)	IATA: 3 (6.1)		
14.4 Packaging group ADR/RID: I	IMDG: I	IATA: -		
14.5 Environmental hazards ADR/RID: no	IMDG Marine pollutant: no	IATA: no		
Sigma-Aldrich- 335266			Page 11 of 14	
The life science business of Merck operates as Canada	MilliporeSigma in the US and			

#### 14.6 Special precautions for user

Tunnel restriction code : (C/E)

Further information : No data available

## **SECTION 15: Regulatory information**

# **15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

#### Authorisations and/or restrictions on use

#### **National legislation**

Seveso III: Directive 2012/18/EU of the European : FLAMMABLE LIQUIDS Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

#### **Other regulations**

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

#### **15.2 Chemical Safety Assessment**

For this product a chemical safety assessment was not carried out

#### **SECTION 16: Other information**

## Full text of H-Statements referred to under sections 2 and 3.

H225	Highly flammable liquid and vapor.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H361fd	Highly flammable liquid and vapor.
H372	Causes skin irritation.
H373	Causes serious eye irritation.

Sigma-Aldrich- 335266

The life science business of Merck operates as MilliporeSigma in the US and Canada

A

Page 12 of 14

## Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

## **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Sigma-Aldrich- 335266

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 13 of 14

Sigma-Aldrich- 335266

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 14 of 14