



Creation Date 07-Jul-2009

Revision Date 17-Jun-2021

Revision Number 10

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product Description:
Cat No. :
Synonyms
CAS-No
EC-No.
Molecular Formula

Lead nitrate L/1445/53 Nitric acid, lead(2+) salt; Plumbous nitrate.; Lead dinitrate 10099-74-8 233-245-9 N2 O6 Pb

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use	Laboratory chemicals.
Uses advised against	No Information available

#### 1.3. Details of the supplier of the safety data sheet

CompanyUK entity/business name<br/>Fisher Scientific UK<br/>Bishop Meadow Road, Loughborough,<br/>Leicestershire LE11 5RG, United KingdomEU entity/business name<br/>Acros Organics BVBA<br/>Janssen Pharmaceuticalaan 3a<br/>2440 Geel, BelgiumE-mail addressbegel.sdsdesk@thermofisher.com1.4. Emergency telephone number<br/>Tel: 01509 231166<br/>Chemtrec US: (800) 424-9300<br/>Chemtrec EU: 001 (202) 483-7616

## **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

Physical hazards

Oxidizing solids

Health hazards

Category 2 (H272)

#### Lead nitrate

Revision Date 17-Jun-2021

Acute oral toxicity Acute Inhalation Toxicity - Dusts and Mists Serious Eye Damage/Eye Irritation Reproductive Toxicity Specific target organ toxicity - (repeated exposure)

#### **Environmental hazards**

Acute aquatic toxicity Chronic aquatic toxicity Category 4 (H302) Category 4 (H332) Category 1 (H318) Category 1A (H360Df) Category 2 (H373)

Category 1 (H400) Category 1 (H410)

Full text of Hazard Statements: see section 16





Signal Word

Danger

#### **Hazard Statements**

H272 - May intensify fire; oxidizer
H302 + H332 - Harmful if swallowed or if inhaled
H318 - Causes serious eye damage
H360Df - May damage the unborn child. Suspected of damaging fertility
H373 - May cause damage to organs through prolonged or repeated exposure
H410 - Very toxic to aquatic life with long lasting effects

#### **Precautionary Statements**

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
P280 - Wear protective gloves/protective clothing/eye protection/face protection
P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
P260 - Do not breathe dust/fume/gas/mist/vapors/spray
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing
P273 - Avoid release to the environment

#### Additional EU labelling

Restricted to professional users

#### 2.3. Other hazards

In accordance with Annex XIII of the REACH Regulation, inorganic substances do not require assessment

Toxic to terrestrial vertebrates

### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

### 3.1. Substances

#### Lead nitrate

#### Revision Date 17-Jun-2021

Lead(II) nitrate	10099-74-8	EEC No. 233-245-9	>95	Ox. Sol. 2 (H272)
				Acute Tox. 4 (H302)
				Acute Tox. 4 (H332)
				Eye Dam. 1 (H318)
				Repr. 1A (H360Df)
				STOT RE 2 (H373)
				Aquatic Acute 1 (H400)
				Aquatic Chronic 1 (H410)

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
Lead(II) nitrate	Repr. 2 (H361f) :: C>=2.5% STOT RE 2 (H373) :: C>=0.5%	10 (acute) 1 (Chronic)	Note 1

#### Note

Note 1: The concentration stated or, in the absence of such concentrations, the generic concentrations of this Regulation (Table 3.1) or the generic concentrations of Directive 1999/45/EC (Table 3.2), are the percentages by weight of the metallic element calculated with reference to the total weight of the mixture

#### Full text of Hazard Statements: see section 16

## **SECTION 4: FIRST AID MEASURES**

### 4.1. Description of first aid measures

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.				
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Get medical attention.				
Ingestion	Do NOT induce vomiting. Call a physician or poison control center immediately.				
Inhalation	Remove to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required. If not breathing, give artificial respiration.				
Self-Protection of the First Aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.				
4.2. Most important symptoms and effects, both acute and delayed					
	Causes severe eye damage.				

#### 4.3. Indication of any immediate medical attention and special treatment needed

### Notes to Physician

Treat symptomatically.

### **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1. Extinguishing media

#### Suitable Extinguishing Media

Substance is nonflammable; use agent most appropriate to extinguish surrounding fire.

## Extinguishing media which must not be used for safety reasons

No information available.

#### 5.2. Special hazards arising from the substance or mixture

Oxidizer: Contact with combustible/organic material may cause fire. Thermal decomposition can lead to release of irritating gases and vapors. May ignite combustibles (wood paper, oil, clothing, etc.). Do not allow run-off from fire-fighting to enter drains or water courses.

#### **Hazardous Combustion Products**

Nitrogen oxides (NOx), lead oxides.

#### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid dust formation.

#### 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained. Should not be released into the environment.

#### 6.3. Methods and material for containment and cleaning up

Avoid dust formation. Provide adequate ventilation. Keep combustibles (wood, paper, oil, etc) away from spilled material. Sweep up and shovel into suitable containers for disposal.

#### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

### **SECTION 7: HANDLING AND STORAGE**

#### 7.1. Precautions for safe handling

Use only under a chemical fume hood. Wear personal protective equipment/face protection. Keep away from clothing and other combustible materials. Avoid dust formation. Do not get in eyes, on skin, or on clothing. Do not breathe dust.

#### Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Do not store near combustible materials.

# Technical Rules for Hazardous Substances (TRGS) 510 Storage Class (LGK) Class 5.1B (Germany)

#### 7.3. Specific end use(s)

#### Lead nitrate

Use in laboratories

### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1. Control parameters

#### Exposure limits

List source(s): UK - EH40/2005 Work Exposure Limits, Third edition. Published 2018.

Component	The United Kingdom	European Union	Ireland
Lead(II) nitrate	STEL: 0.45 mg/m <sup>3</sup> 15 min		
	TWA: 0.15 mg/m <sup>3</sup> 8 hr		

#### **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

## Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

No information available

#### Predicted No Effect Concentration (PNEC)

See values below.

Component	Fresh water	Fresh water sediment	Microorganisms in sewage treatment	Soil (Agriculture)
Lead(II) nitrate 10099-74-8(>95)	PNEC = 3.1µg/L PNEC = 6.5µg/L	PNEC = 174mg/kg sediment dw	PNEC = 100µg/L	PNEC = 147mg/kg soil dw PNEC = 212mg/kg soil dw

Component	Marine water	Marine water sediment	Marine water intermittent	Food chain	Air
Lead(II) nitrate 10099-74-8 ( >95 )	PNEC = 3.4µg/L PNEC = 3.5µg/L	PNEC = 164mg/kg sediment dw		PNEC = 10.9mg/kg food	

#### 8.2. Exposure controls

#### Engineering Measures

Use only under a chemical fume hood. Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

#### Personal protective equipment

Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Natural rubber Nitrile rubber Neoprene PVC	See manufacturers recommendations	-	EN 374	(minimum requirement)

### Lead nitrate

#### Skin and body protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly
Large scale/emergency use	Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced <b>Recommended Filter type:</b> Particulates filter conforming to EN 143
Small scale/Laboratory use	Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. <b>Recommended half mask:-</b> Particle filtering: EN149:2001 When RPE is used a face piece Fit Test should be conducted
Environmental exposure controls	Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on basic physical and chemical properties

Physical State	Solid	
Appearance Odor Odor Threshold Melting Point/Range Softening Point Boiling Point/Range Flammability (liquid) Flammability (solid,gas) Explosion Limits	White Odorless No data available 470 °C / 878 °F No data available No information available Not applicable No information available No data available	Solid
Flash Point Autoignition Temperature Decomposition Temperature pH Viscosity Water Solubility Solubility in other solvents	Not applicable No data available No data available 3 - 4 Not applicable 343 g/l No information available	<b>Method -</b> No information available 20% aq. sol Solid
Partition Coefficient (n-octanol/wat Vapor Pressure Density / Specific Gravity Bulk Density Vapor Density Particle characteristics	er) negligible 4.530 No data available Not applicable No data available	Solid
9.2. Other information Molecular Formula	N2 O6 Pb	

Lead nitrate

Molecular Weight Oxidizing Properties Evaporation Rate 331.2 Oxidizer Not applicable - Solid

**SECTION 10: STABILITY AND REACTIVITY** 

10.1. ReactivityYes10.2. Chemical stabilityoxidizer: Contact with combustible/organic material may cause fire.10.3. Possibility of hazardous reactionsoxidizer: Contact with combustible/organic material may cause fire.Hazardous PolymerizationHazardous polymerization does not occur.<br/>None under normal processing.10.4. Conditions to avoidAxia dous polymerization locompatible products. Excess heat. Combustible material.10.5. Incompatible materialsStrong reducing agents. Organic materials. Finely powdered metas.

#### 10.6. Hazardous decomposition products

Nitrogen oxides (NOx). lead oxides.

### **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Product Information

#### (a) acute toxicity;

Oral	Category 4
Dermal	No data available
Inhalation	Category 4

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Lead(II) nitrate	LD50 = 93 mg/kg (Rat)	-	-

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation;	Category 1
------------------------------------	------------

(d) respiratory or skin sensitization;<br/>RespiratoryNo data availableSkinNo data available

May cause sensitization by skin contact

- (e) germ cell mutagenicity; No data available
- (f) carcinogenicity;

#### Lead nitrate

## SAFETY DATA SHEET

#### Revision Date 17-Jun-2021

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	EU	UK	Germany	IARC
Lead(II) nitrate				Group 2A

(g) reproductive toxicity; Reproductive Effects Developmental Effects Teratogenicity	Category 1A Experiments have shown reproductive toxicity effects on laboratory animals. Developmental effects have occurred in experimental animals. Teratogenic effects have occurred in experimental animals.
(h) STOT-single exposure;	No data available
(i) STOT-repeated exposure; Target Organs	Category 2 Liver, Kidney, Central nervous system (CNS), Blood, Reproductive System.
(j) aspiration hazard;	Not applicable Solid
Symptoms / effects,both acute and	No information available.

delayed

#### 11.2. Information on other hazards

**Endocrine Disrupting Properties** 

Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

### **SECTION 12: ECOLOGICAL INFORMATION**

#### 12.1. Toxicity Ecotoxicity effects

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Do not allow material to contaminate ground water system.

Component	Freshwater Fish	Water Flea	Freshwater Algae
Lead(II) nitrate	LC50: 1.5 mg/l/96 h	EC50: 0.5 - 2 mg/l/48 H (Daphnia	
	(Oncorhynchus mykiss)	magna)	
	LC50: 0.4 - 1.3 mg/l/96 H		
	(Cyprinus carpio)		

Component	Microtox	M-Factor
Lead(II) nitrate		10 (acute)
		1 (Chronic)

12.2. Persistence and degrad	<b>ability</b> Product contains heavy metals. Discharge into the environment must be avoided. Special
	pre-treatment is necessary
Persistence	May persist, based on information available.
Degradability	Not relevant for inorganic substances.

Degradation in sewage	Contains substances known to be hazardous to the environment or not degradable in waste
treatment plant	water treatment plants.

12.3. Bioaccumulative potential May have some potential to bioaccumulate

Lead nitrate	Revision Date 17-Jun-2021
12.4. Mobility in soil	The product is water soluble, and may spread in water systems Will likely be mobile in the environment due to its water solubility. Highly mobile in soils
<u>12.5. Results of PBT and vPvB</u> assessment	In accordance with Annex XIII of the REACH Regulation, inorganic substances do not require assessment.
<u>12.6. Endocrine disrupting</u> properties Endocrine Disruptor Information	This product does not contain any known or suspected endocrine disruptors
<u>12.7. Other adverse effects</u> Persistent Organic Pollutant	This product does not contain any known or suspected substance

Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

## **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1. Waste treatment methods

Waste from Residues/Unused Products	Should not be released into the environment. Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.
Contaminated Packaging	Dispose of this container to hazardous or special waste collection point.
European Waste Catalogue (EWC)	According to the European Waste Catalog, Waste Codes are not product specific, but application specific.
Other Information	Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Do not let this chemical enter the environment.

## **SECTION 14: TRANSPORT INFORMATION**

#### IMDG/IMO

<u>14.1. UN number</u>	UN1469
14.2. UN proper shipping name	LEAD NITRATE
14.3. Transport hazard class(es)	5.1
Subsidiary Hazard Class	6.1
14.4. Packing group	II
ADR	
<u>14.1. UN number</u>	UN1469
14.2. UN proper shipping name	LEAD NITRATE

	0111-03
14.2. UN proper shipping name	LEAD NITRATE
14.3. Transport hazard class(es)	5.1
Subsidiary Hazard Class	6.1
14.4. Packing group	II

### ΙΑΤΑ

<u>14.1. UN number</u> 14.2. UN proper shipping name	UN1469 LEAD NITRATE
14.3. Transport hazard class(es)	5.1
Subsidiary Hazard Class	6.1
14.4. Packing group	II

14.5. Environmental hazards	Dangerous for the environment Product is a marine pollutant according to the criteria set by IMDG/IMO
14.6. Special precautions for user	No special precautions required
14.7. Maritime transport in bulk according to IMO instruments	Not applicable, packaged goods

## SECTION 15: REGULATORY INFORMATION

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Inventories

X = listed, Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), China (IECSC), Japan (ENCS), Japan (ISHL), Australia (AICS), Korea (KECL).

Lead(II) nitrate         233-245-9         -         X         X         -         X         X         X         X         KE-21907	Component	EINECS	ELINCS	NLP	TSCA	DSL	NDSL	PICCS	IECSC	ENCS	ISHL	AICS	KECL
	Lead(II) nitrate	233-245-9	-		Х	Х	-	Х	Х	Х	Х	Х	KE-21907

#### Note

Note 1: The concentration stated or, in the absence of such concentrations, the generic concentrations of this Regulation (Table 3.1) or the generic concentrations of Directive 1999/45/EC (Table 3.2), are the percentages by weight of the metallic element calculated with reference to the total weight of the mixture

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Lead(II) nitrate		Use restricted. See item 30. (see link for restriction details) Use restricted. See item 63. (see link for restriction details) Use restricted. See item 75. (see link for restriction details)	SVHC Candidate list - 233-245-9 - Toxic for reproduction, Article 57c

https://echa.europa.eu/authorisation-list

https://echa.europa.eu/substances-restricted-under-reach

https://echa.europa.eu/candidate-list-table

# Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Component	ANNEX I - PART 1 List of chemicals subject to export notification procedure (referred to in Article 8)	ANNEX I - PART 2 List of chemicals qualifying for PIC notification (referred to in Article 11)	ANNEX I - PART 3 List of chemicals subject to the PIC procedure (referred to in Articles 13 and 14)
Lead(II) nitrate 10099-74-8(>95)	sr — severe restriction i(2) — industrial chemical for public	-	-

https://eur-lex.europa.eu/legal-content/EN/TXT/?uri=CELEX%3A32012R0649&qid=1604065742303.

#### **National Regulations**

#### WGK Classification

See table for values

Component	Germany - Water Classification (VwVwS)	Germany - TA-Luft Class
Lead(II) nitrate	WGK3	

Component	France - INRS (Tables of occupational diseases)
Lead(II) nitrate	Tableaux des maladies professionnelles (TMP) - RG 1

**UK** - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment Take note of Directive 94/33/EC on the protection of young people at work Take note of Dir 92/85/EC on the protection of pregnant and breastfeeding women at work

#### 15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

### **SECTION 16: OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3

H272 - May intensify fire; oxidizer H302 - Harmful if swallowed H318 - Causes serious eye damage H332 - Harmful if inhaled H360Df - May damage the unborn child. Suspected of damaging fertility H373 - May cause damage to organs through prolonged or repeated exposure H400 - Verv toxic to aquatic life H410 - Very toxic to aquatic life with long lasting effects Legend **CAS** - Chemical Abstracts Service TSCA - United States Toxic Substances Control Act Section 8(b) Inventory EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances Substances List PICCS - Philippines Inventory of Chemicals and Chemical Substances **ENCS** - Japanese Existing and New Chemical Substances **IECSC** - Chinese Inventory of Existing Chemical Substances AICS - Australian Inventory of Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances NZIOC - New Zealand Inventory of Chemicals WEL - Workplace Exposure Limit TWA - Time Weighted Average ACGIH - American Conference of Governmental Industrial Hygienists IARC - International Agency for Research on Cancer Predicted No Effect Concentration (PNEC) **DNEL** - Derived No Effect Level **RPE** - Respiratory Protective Equipment LD50 - Lethal Dose 50% LC50 - Lethal Concentration 50% EC50 - Effective Concentration 50% NOEC - No Observed Effect Concentration POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative PBT - Persistent, Bioaccumulative, Toxic ADR - European Agreement Concerning the International Carriage of ICAO/IATA - International Civil Aviation Organization/International Air Dangerous Goods by Road Transport Association IMO/IMDG - International Maritime Organization/International Maritime MARPOL - International Convention for the Prevention of Pollution from Dangerous Goods Code Ships **OECD** - Organisation for Economic Co-operation and Development ATE - Acute Toxicity Estimate BCF - Bioconcentration factor VOC - (Volatile Organic Compound) Key literature references and sources for data https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

#### **Training Advice**

First aid for chemical exposure, including the use of eye wash and safety showers.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Chemical incident response training.

Creation Date	07-Jul-2009
Revision Date	17-Jun-2021
Revision Summary	Not applicable.

## This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## **End of Safety Data Sheet**